



INDEX MAPS.

T. 5 N., R. 4 E. 2nd Mer.



T. 6 N., R. 4 E. 2nd Mer.



The figures on the lines refer to the page.

Township N. 5 North, Range N. 4 East 2. Mer. Indiana

South Boundary

East On Rand^m. S. boundary of Sec. 31, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. This mile over rich level
Oak & Hickory timbered land

East On Rand^m. S. boundary of Sec. 32, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post

Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 33, T5N. R4E.

27.00 a Spring Course S. E.

32.25 a Spring run 5 lks. wide Course S. E.

35.00 a Do Do 5 lks. " " N. W.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post

Level Oak & Hickory timbered land

East On Rand^m. S. boundary of Sec. 34, T5N. R4E.

11.00 a Brook 10 lks. wide Course South

40.00 Let temp^y. gr. Sec. post

43.00 a Brook 20 lks. wide Course South

50.00 a Creek 50 lks. " " N. W.

80.00 Let temp^y. Sec. post - Level land

East On Rand^m. S. boundary of Sec. 35, T5N. R4E.

10.50 a Brook 10 lks. wide Course N. W.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. This mile over very
thin broken soil, Oak hills very high

East On Rand^m. S. boundary of Sec. 36, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

79.19 intersected the N. & S. line 440 lks. S. of the Town
Corner - Land level, Beech timber. Sept. 30th 1806.

T5 N R4 E. 2^d Mer. Indiana

Nest On true line S. boundary of Sec. 36, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a W. Oak 20 in. dia. - bray S30 E 6 1/2 lks. dist. of
 a do 15 " " " N30 W5 " "
 80.00 Let a post Cor. to Sec. 35 & 36, from which
 a Bk. Oak 10 in. dia. - bray S21 W 24 lks. dist. of
 a Beech 6 " " " N56 W 21 " "

Nest On true line S. boundary of Sec. 35, T5 N. R4 E.
 40.00 Let the gr. Sec. post, on true line, from which
 a W. Oak 12 in. dia. - bray S57 W 37 lks. dist. of
 a do 15 " " " N30 E 26 " "
 80.00 Let a post Cor. to Sec. 34 & 35, from which
 a Beech 10 in. dia. - bray S9 E 21 lks. dist. of
 a B. Oak 40 " " " N4 E 27 " "

Nest On true line S. boundary of Sec. 34, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a Beech 10 in. dia. - bray N17 W 25 lks. dist. of
 a do 10 " " " S40 E 8 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a Beech 6 in. dia. - bray S82 E 20 lks. dist. of
 a do 6 " " " S10 E 19 " "

Nest On true line S. boundary of Sec. 33, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a Hickory 10 in. dia. - bray N60 W 20 lks. dist. of
 a B. Oak 15 " " " S10 W 10 " "
 80.00 Let a post Cor. to Sec. 32 & 33, T5 N. R4 E., from which
 a W. Oak 15 in. dia. - bray N83 W 35 lks. dist. of
 a B. Oak 20 " " " N52 E 18 " "

Nest On true line S. boundary of Sec. 32, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a B. Oak 20 in. dia. - bray N27 W 33 lks. dist. of
 a Hickory 10 " " " N53 E 33 " "

T5N R4E D² Mer. Indiana

80.00 Let a post Cor. to Sec. 31 & 32, from which
 a Hickory 10 in. dia. bears S64E 12 lks. dist. of
 a Do 8 " " " N26W 17 " "

West On true line S. boundary of Sec. 31, T5N, R4E.
 40.00 Let the q. Sec. post on true line, from which
 a Hickory 10 in. dia. bears N78E 11 lks. dist. of
 a W. Oak 12 " " " S78W 11 " "
 79.19 to Township Corner.

East Boundary

North On E. boundary of Sec. 36, T5N, R4E.
 14.00 a Brook 10 lks. wide Course S.E.
 40.00 Let the q. Sec. post, from which
 a Hickory 8 in. dia. bears N97W 22 lks. dist. of
 a Beech 10 " " " S62E 28 " "
 45.80 a Beech 12 " " "
 52.50 a Brook 10 lks. wide Course S.E.
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Beech 20 in. dia. bears S44W 16 1/2 lks. dist. of
 a Do 6 " " " N22W 15 " "
 This mile Over level Beech timbered land

North On E. boundary of Sec. 25, T5N, R4E.
 40.00 Let the q. Sec. post, from which
 a Dogwood 5 in. dia. bears N27W 10 lks. dist. of
 an Ironwood 6 " " " S17W 34 " "
 42.00 a Brook 10 lks. wide Course S.E.
 44.10 a W. Oak 20 in. dia.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a W. Oak 15 in. dia. bears S34E 15 lks. dist. of
 a Maple 15 " " " N32E 31 " "
 This mile Over thin broken brush Oak
 timbered Soil

North On E. boundary of Sec. 24, T5N, R4E.

T5 N. R4 E. 2^d Mer. Indiana

- 40.00 Let the gr. Sec. post, from which
a Beech 6 in. dia. bray 185 E 7 lks. dist. of
a Dogw? 5 " " " N 17 W 18 " "
- 50.00 a Brook 15 lks. wide Course West
- 56.75 a Beech 20 in. dia.
- 80.00 Let a post Cor. to Sec. 13 of 24, from which
a W. Oak 8 in. dia. bray 164 W 16 lks. dist
a Do 14 " " " N 34 E 18 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T5 N. R4 E.

- 20.00 a Brook 15 lks. wide Course West
- 24.04 a B. Oak 20 in. dia.
- 40.00 Let the gr. Sec. post, from which
a W. Ash 12 in. dia. bray 147 W 11 lks. dist. of
a Do 24 " " " N 47 E 18 " "
- 46.00 a Brook 15 lks. wide Course West
- 80.00 Let a post Cor. to Sec. 12 of 13, from which
a Beech 10 in. dia. bray 114 W 23 lks. dist. of
a Do 10 " " " N 22 W 22 " "
Rolling land.

North On E. boundary of Sec. 12, T5 N. R4 E

- 25.50 a Spring run 10 lks. wide Course West
- 40.00 Let the gr. Sec. post, from which
a Beech 20 in. dia. bray 180 E 8 lks. dist. of
a Sugar 5 " " " N 20 W 8 " "
- 69.90 Let a post On Indian boundary, from which
a Beech 20 in. dia. bray 139 W 20 lks. dist. of
a Beech 6 " " " N 34 W 6 " "
Rich level land Sept. Oct. 1st 1806.
- 80.00 Let a post Cor. to Sec. 11 of 12, from which
a Beech 12 in. dia. bray 146 W 6 lks. dist. of
a Do 6 " " " N 63 E 14 " "

North On E. boundary of Sec. 1, T5 N. R4 E.

T5N R4E 2^d Mer. Indiana

- 40.00 Let the gr. Sec. post, from which
a Sugar 10 in. dia. bran N 15 E 37 lks. dist. of
a Do 10 " " " N 67 E 27 " "
67.07 Let a post Cor. to Township, N. 5 & 6 North of
Range, N. 4 & 5 East, from which
at Beech 20 in. dia. bran N 52 W 13 lks. dist. of
a Do 9 " " " S 53 W 13 " "
Over rich land, timber Beech, Oak &c.

North Boundary

- East On Rand^m. S. boundary of Sec. 31, T6N. R4E.
40.00 Let temp^y. gr. Sec. post
74.00 a Brook 12 lks. wide Course South
80.00 Let temp^y. Sec. post
Land flat, timber Oak, Beech &c.

- East On Rand^m. S. boundary of Sec. 32, T6N. R4E
40.00 Let temp^y. gr. Sec. post
80.00 Let temp^y. Sec. post
Land, timber &c. Same as on the last mile

- East On Rand^m. S. boundary of Sec. 33, T6N. R4E
40.00 Let temp^y. gr. Sec. post
80.00 Let temp^y. Sec. post
Land timber &c. Same as on the last mile

- East On Rand^m. S. boundary of Sec. 34, T6N. R4E
36.00 a Brook 75 lks. wide Course South
40.00 Let temp^y. gr. Sec. post
80.00 Let temp^y. Sec. post
Land level, timber Beech, Oak, Hickory &c

- East On Rand^m. S. boundary of Sec. 35, T6N. R4E.
17.50 to White River
40.00 Let temp^y. gr. Sec. post
43.50 to White River

T5N R4E 2^d Mer. Indiana

80.00 On an offset towards the South, let temp.
Sec. post.—

East On Rand^m S. boundary of Sec. 36, T6N R4E
40.00 Let temp^y. g. Sec. post, on an offset towards S.
86.00 Intersected the N & S. line at the Town Corner.

West On true line S. boundary of Sec. 36, T6N R4E.
16.00 to a Bayou 200 lbs. wide
40.00 Let the g. Sec. post, from which
a Hickory 7 in. dia. beam N 87 E 57 lbs. dist. of
a Hackberry 12 " " " S 26 W 43 " "
45.65 Let a post on Left bank of White R. from which
a Sycamore 20 in. dia. beam S 39 W 7 lbs. dist. of
an Elm 19 " " " N 9 W 11 " "
50.03 Let a post on the Right bank of River, from which
a Maple 8 in. dia. beam N 84 E 8 lbs. dist. of
a Willow 10 " " " S 46 W 3 " "
80.00 Let a post Co. to Sec. 35 of 36, T6N R4E, from which
an Elm 10 in. dia. beam S 81 E 39 lbs. dist. of
a W. Oak 8 " " " S 20 E 20 " "
Sand level & very rich, timber Walnut, Ash
Elm &c. underg^d. Spruce & prairie.

West On true line S. boundary of Sec. 35, T6N R4
7.00 a B. Walnut 20 in. dia. Corner of River bank
23.00 Let a post on N.W. side of the bend, from which
a Locust 20 in. dia. beam N 68 E 17 lbs. dist. of
a Red bud 8 " " " N 44 W 14 " "
40.00 Let the g. Sec. post on true line, from which
a Sycamore 10 in. dia. beam S 87 E 16 lbs. dist. of
a Cottonwood 12 " " " N 3 E 5 " "
On the River bank
45.54 to a Birch 10 in. dia. on Left bank of White R.
63.33 Let a post on Left bank of River again from which
a Sycamore 20 in. dia. beam South 10 lbs. dist. of

T5N R4E.2. Mer. Indiana

- a Sycamore 20 in. diam. bear North 7 lks. dist. of
 69.00 Set a post on Right bank of River, from which
 a W. Oak 20 in. diam. bear N 5 W 19 lks. dist. of
 a Sugar 12 " " " N 38 E 12 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T5N R4E from which
 a Sugar 8 in. diam. bear N 61 E 10 lks. dist. of
 a Beech 10 " " " N 56 W 16 " "

- Nest On true line S. boundary of Sec. 34, T6N R4E.
 40.00 Set the gr. Sec. post on true line, from which
 a Hickory 15 in. diam. bear N 52 W 19 lks. dist. of
 an Elm 8 " " " N 32 E 5 " "
 80.00 Set a post, Cor. to Sec. 33 & 34, T6N R4E from which
 a Hickory 10 in. diam. bear N 26 W 5 lks. dist. of
 a Do 10 " " " N 50 E 14 " "

- Nest On true line S. boundary of Sec. 33, T6N R4E.
 40.00 Set the gr. Sec. post on true line from which
 a Maple 10 in. diam. bear N 15 W 10 lks. dist. of
 an Elm 12 " " " N 63 E 21 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T6N R4E from which
 a Hickory 12 in. diam. bear N 88 E 12 lks. dist. of
 no other tree

- Nest On true line S. boundary of Sec. 32, T6N R4E.
 40.00 Set the gr. Sec. post on true line, from which
 a Gum 10 in. diam. bear S 79 E 4 lks. dist. of
 a B. Oak 24 " " " N 87 W 15 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T6N R4E from which
 a Beech 10 in. diam. bear N 47 W 15 lks. dist. of
 a B. Oak 30 " " " N 75 W 14 " "

- Nest On true line S. boundary of Sec. 31, T6N R4E.
 40.00 Set the gr. Sec. post, on true line, from which
 a Hickory 10 in. diam. bear N 32 E 12 lks. dist. of
 a Beech 10 " " " N 38 E 13 " "

T5 N. R4 E. 2^d. Mer. Indiana

86.29 To Township Corner on measurement

West Boundary

North On E. boundary of Sec. 36, T5 N. R3 E.

35.90 a Hickory 10 in. dia.

40.00 Set the q. Sec. post, from which

a P. Oak 40 in. dia. bear S 28 E 36 lks. dist. of

a Hickory 8 " " " N 52 W 7 " "

74.60 a Beech 20 " "

80.00 Set a post Cor. to Sec. 25 & 36, T5 N. R3 E. from which

a Beech 8 in. dia. supplies the place of post

This mile Over level rich land

North On E. boundary of Sec. 25, T5 N. R3 E.

21.85 Set a post on Indian boundary, from which

a P. Walnut 40 in. dia. bear S 3 E 24 lks. dist. of

a Blue Ash 6 " " " N 84 E 10 " "

October 2^d. 1806. var. 6.30 E

27.00 to White River

34.00 Set a post on Right bank of River, from which

a Red bud 6 in. dia. bear N 21 E 41 lks. dist.

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bear S 86 W 16 lks. dist. of

a Red bud 5 " " " N 41 E 25 " "

58.40 a Locust 12 in. dia. on the River bank

71.00 Set a post on N. side of bend, from which

a Beech 6 in. dia. bear N 69 W 14 lks. dist. of

a Do 6 " " " S 83 E 10 " "

76.70 a Beech 20 " "

80.00 Set a post Cor. to Sec. 24 & 25, T5 N. R3 E. from which

a Beech 8 in. dia. bear S 4 E 47 lks. dist. of

a Do 8 " " " N 73 W 9 " "

Over level Beech timbered land.

North On E. boundary of Sec. 24, T5 N. R3 E.

40.00 Set the q. Sec. post from which

T5 N. R4 E. 2^d. Mer. Indiana

a Hackberry 15 in. diam. brany S53 E 25 1/4 dist. of
 a B. Walnut 28 " " " N71 W 34 " "
 80.00 a Maple 10 in. diam. Cor. to Sec. 13 of 24, T5 N.
 R3 E. Land timber &c. Same as last mile

North On E. boundary of Sec. 13, T5 N. R3 E.

40.00 a Maple 6 in. diam. of Sec. Corner.

80.00 Set a post Cor. to Sec. 12 & 13, T5 N. R3 E, from which
 an Ironwood 6 in. diam. brany S38 E 14 1/4 dist. of
 a Beech 12 " " " N20 E 16 " "
 Land flat timber (Maple, Beech, Oak &c.)

North On E. boundary of Sec. 12, T5 N. R3 E.

1.50 a W. Oak 10 in. diam.

40.00 Set the of. Sec. post, from which
 a Maple 12 in. diam. brany S2 E 34 1/4 dist. of
 a Beech 10 " " " N29 W 40 " "

52.00 a Brook 10 ft. wide Course East

80.00 Set a post Cor. to Sec. 1 & 12, T5 N. R3 E, from which
 a Beech 7 in. diam. brany S45 E 9 1/4 dist. of
 a Do 5 " " " N47 W 6 " "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T5 N. R3 E.

40.00 Set the of. Sec. post, from which
 a Hickory 12 in. diam. brany N11 W 29 1/4 dist. of
 a W. Oak 10 " " " N1 E 23 " "

41.75 a Brook 10 ft. wide Course E.

76.50 a Brook 12 " " " E.

80.00 Set a post Cor. to Township N. 5 of 6 North
 Range, N. 3 of 4 E, from which
 a Beech 12 in. diam. brany S5 W 47 1/4 dist. of
 a Do 12 " " " - 9 W 28 " "

Land timber &c. Same as last mile flat
 Surveyed by Arthur & Annie Dep. Sur.

T5 N. R4 E. 2. Mer. Indiana

Subdivision. May 21. 1807

North Between Sec. 35 & 36, T5 N. R4 E

40.00 Let the q. Sec. post, from which
 a Maple 13 in. dia. bears N 23 E 11 lks. dist. of
 a Beech 8 " " " S 22 W 30 " "

80.00 Let a post cor. to Sec. 25, 26, 35 & 36, from which
 a Sugar 18 in. dia. bears S 75 E 24 lks. dist. of
 a Poplar 18 " " " " S 64 W 21 " "

Land hilly 3^d rate farming land, timber
 Beech, Chestnut, Oak, Sugar, W. B. Oak &c.

East On Land^{3^d} between Sec. 25 & 36, T5 N. R4 E.

40.00 Let temp. q. Sec. post

81.03 Intersected the E. boundary 146 lks. S. of post
 Land very broken & hilly, very high & steep
 3^d rate farming land timber Same

West On true line between Sec. 25 & 36, T5 N. R4 E.

40.51 Let q. Sec. post at average dist. from which
 a Chest. Oak 27 in. dia. bears S 29 W 22 lks. dist. of
 a Do 24 " " " S 83 E 18 " "

81.03 to Sec Corner.

North Between Sec. 25 & 26, T5 N. R4 E.

40.00 Let the q. Sec. post, from which
 a Poplar 36 in. dia. bears N 87 E 14 lks. dist. of
 a Chest. Oak 30 " " " N 80 W 54 " "

80.00 Let a post cor. to Sec. 23, 24, 25 & 26, from which
 a W. Oak 7 in. dia. bears S 57 W 9 lks. dist. of
 a Do. 7 " " " N 54 E 25 " "

This mile 3^d rate hills, timber Same

East On Land^{3^d} between Sec. 24 & 25, T5 N. R4 E ran. 10.6

40.00 Let temp. q. Sec. post

81.63 Intersected the E. boundary, 165 lks. S. of post
 This mile very broken & hilly, timber same, rocky 3^d rate

S5 N. R4 E. 2^d. Mer. Indiana

West Out true line between Sec. 24 & 25, S5 N. R4 E.
 40.81 Set of Sec. post at average dist. from which
 a W. Oak 15 in. diam. bears S57°W 18 lks. dist. of
 a Maple 10 " " " S88°E 11 " "
 81.63 to Sec. Corner

North Between Sec. 23 & 24, S5 N. R4 E. var. 5.30. E.
 40.00 Set the of Sec. post, from which
 a Chest. Oak 14 in. diam. bears S27°W 4 lks. dist. of
 a Llo 11 " " " North 5 " "
 79.50 a small brook N.W.
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar 10 in. diam. bears N47°W 29 lks. dist. of
 a Llo 14 " " " S49°E 31 " "
 Land timber &c. same as on the last mile

East On land betw. Sec. 13 & 24, S5 N. R4 E. var. 11.00 E
 33.00 at Brook 10 lks. wide Course N.W.
 40.00 Set temp. of Sec. post
 80.50 Intersected the E. boundary 498 lks. N. of post
 This mile rolling land, timber Oak, Beech, Sugar
 Hackberry &c. (moulding good farming land

West On true line between Sec. 13 & 24, S5 N. R4 E.
 40.25 Set of Sec. post at average dist. from which
 a W. Ash 15 in. diam. bears S35°W 19 lks. dist. of
 a Beech 8 " " " N28°E 23 " "
 80.50 to Sec. Corner.

North Between Sec. 13 & 14, S5 N. R4 E.
 13.50 a Creek 15 lks. wide Course N.W.
 40.00 Set the of Sec. post, from which
 a Beech 9 in. diam. bears S17°W 5 lks. dist. of
 a Llo 8 " " " N83°E 18 " "
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 an Elm 11 in. diam. bears N6°W 24 lks. dist. of

T5 N. R4 E. 2. Mer. Indiana

an Elm 5 in. dia. brans S 61° W 10 krs. dist.
Land timber &c. Same as on the last mile.

East On Rand. between Sec. 12 & 13, T5 N. R4 E. var. 9° E.

35.00 a Small Brook Course S. E.

38.00 a do do " S. E.

40.00 Set temp. of Sec. post

79.90 Intersected the E. boundary 225 krs. N. of post. This mile part rolling and part level timber Beech, Poplar, Ash &c. good farming land.

West On true line between Sec. 12 & 13, T5 N. R4 E.

39.95 Set of Sec. post at average dist. from which
a Beech 24 in. dia. brans S 80° E 21 krs. dist. of
a do 18 " " " West 32 " "

79.90 to Sec. Corner.

North Between Sec. 11 & 12, T5 N. R4 E.

19.10 Intersected Indian boundary Set post, from which
a Beech 14 in. dia. brans S 61° W 10 krs. dist. of
a do 12 " " " N 86° E 49 " "

Land rolling timber same, good farming land

34.15 a Beech 20 in. dia.

40.00 Set the of Sec. post, from which
a Sugar 8 in. dia. brans S 23° W 23 krs. dist. of
a Elm 20 " " " N 23° E 3 " "

45.75 a Spring run 5 krs. wide Course West

80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a Sugar 8 in. dia. brans S 27° W 30 krs. dist. of
a Maple 8 " " " N 56° W 15 " "

Good farming land, timber Beech, Sugar &c.

East On Rand. between Sec. 11 & 12, T5 N. R4 E. var. 7° E.

40.00 Set temp. of Sec. post

80.72 Intersected the E. boundary 8 krs. N. of post
Land rich, timber Beech, Poplar, oak, hickory &c.

T5N-124E. 2^d. Mer. Indiana

Nest On true line between Sec. 1 & 12, T5N. 124E.
 40.36 Set of. Sec. post at average dist. from which
 a Buckeye 10 in. diam. bears N19W 12 lbs. dist. of
 a Beech 12 " " " S68E 12 " "
 80.72 to Sec. Corner.

North Between Sec. 1 & 2, T5N. 124E. 2^d. Mer.
 40.00 Set the of. Sec. post, from which
 a Beech 20 in. diam. bears S77W 32 lbs. dist. of
 a Do 15 " " " S25E 12 " "
 50.00 Set a post on Left bank of White river, from which
 a Maple 10 in. diam. bears N2E 28 lbs. dist. of
 an Elm 10 " " " S27W 30 " "
 Sand timber &c. same as on the last mile

May 22^d. 1807. variation 6.40' E.

North Between Sec. 34 & 35, T5N. 124E.
 2.00 a Brook 15 lbs. wide Course West
 40.00 Set the of. Sec. post, from which
 a W. Oak 24 in. diam. bears S18E 25 lbs. dist. of
 a Beech 14 " " " N18W 44
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a B. Oak 27 in. diam. bears N19E 11 lbs. dist. of
 a Dogwood 6 " " " S39W 35 " "
 This mile up a small brook bottom level, timber
 Beech, Sugar, Ash, Poplar &c.

East On Ran 8^m. between Sec. 26 & 35, T5N. 124E. var. 6.40'
 40.00 Set temp. of. Sec. post
 79.47 Intersected the N & S. line 85 lbs. N. of post
 This mile very hilly, timber on the hills is
 principally Chestnut Oak & in the hollows Beech,
 Poplar, W. O. Oak, Sugar &c

Nest On true line between Sec. 26 & 35, T5N. 124E.
 39.73 1/2 Set of. Sec. post at average dist. from which

T5 N. R4 E. 2^d. Mer. Indiana

a Beech 4 in. dia. - bear S45 E 9 lks. dist. of
 a Do 9 " " " N19 W33 " "
 79.47 to Sec. Corner

North Between Secs. 26 & 27, T5 N. R4 E. var. 6.10. E.
 40.00 Let the q. Sec. post, from which
 a Beech 24 in. dia. - bear S64 E 9 lks. dist. of
 a Do 16 " " " N47 W49 " "
 80.00 Set a post Corner to Secs. 22, 23, 26 & 27, from
 which a Hickory 9 in. dia. - bear S49 W 29 lks. dist. of
 a Do 6 " " " N66 E 58 " "
 Sand timber &c. same as on the last mile

East On Rand. betw. Secs. 23 & 26, T5 N. R4 E. var. 9. E.
 33.00 a Small Brook Corner North
 40.00 Let temp. q. Sec. post
 79.03 Intersected the N & S. line 44 lks. N. of post
 This mile rolling land, timber Oak, Hickory
 Beech &c. poor farming land.

West On true line between Secs. 23 & 26, T5 N. R4 E.
 39.51 1/2 Let q. Sec. post at average dist. from which
 a W. Oak 12 in. dia. - bear S65 E 19 lks. dist. of
 a Do 10 " " " N89 W22 " "
 79.03 to Sec. Corner

North Between Secs. 22 & 23, T5 N. R4 E. var. 6.00. E.
 40.00 Let the q. Sec. post, from which
 a Dogwood 5 in. dia. - bear N39 W 21 lks. dist. of
 a Hickory 6 " " " N67 E 30 " "
 57.50 a Brook 20 lks. wide Course West
 79.50 a Creek 30 lks. " " N.W.
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 an Elm 9 in. dia. - bear S67 E 13 lks. dist. of
 a Do 7 " " " N86 W6 " "
 The 1st 1/2 mile Broken & poor - the last 1/2 river

T5 N. R4 E, 2^d. Mer. Indiana

bottom, rich and good farming land timber Beech,
Sugar, Poplar, Ash &c.

East On Rand. between Sec. 14 & 23, T5 N. R4 E

36.50 a Creek 20 lks. wide Course S. W.

38.00 a Do 20 lks. " " S. W.

40.00 Set temp. q. Sec. post

40.50 a Creek 20 lks. wide Course S. W.

42.00 a Do 20 lks. " " S. W.

80.12 Intersected the N & S line 59 lks. N. of post

This mile Creek bottom good farming land
timber same as on the last mile

West On true line between Sec. 14 & 23, T5 N. R4 E.

40.06 Set the q. Sec. post, at average dist. from which

a W. Beech 7 in. dia. bears S 87 E 11 lks. dist. of

a Do 3 " " " N 37 W 10 " "

80.12 to Sec. Corner

North Between Sec. 14 & 15, T5 N. R4 E

40.00 Set the q. Sec. post, from which

a Beech 27 in. dia. bears S 71 W 21 lks. dist. of

a Do 14 " " " N 63 E 35 " "

50.68 Intersected the Indian boundary Set post, from which

a Sugar 18 in. dia. bears S 71 E 27 lks. dist. of

a Beech 24 " " " N 64 W 12 " "

this mile Middling good farming land, timber
Beech, Sugar, Poplar &c.

55.00 a Spring run 8 lks. wide Course S. W.

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 38 in. dia. bears S 10 E 16 lks. dist. of

a Do 7 " " " N 51 W 5 " "

Land rich timber Oak, Beech, Poplar &c. undg. ^{to} office

East On Rand. between Sec. 11 & 14, T5 N. R4 E.

40.00 Set temp. q. Sec. post

T5 N. R4 E. 2^d. Mer. Indiana

81.91 Intersected the N & S. line - 1/2 m. S. of post
Sand timber &c. Same as on the last mile

West On true line between Sec. 11 & 14, T5 N. R4 E. var. 8.30.

*40.95 1/2 Let q. Sec. post at average dist. from which
a Beech 10 in. dia. beam N14 E 5 lks. dist. of
a Poplar 40 " " " N14 W 13 " "

*32.56 Intersected the Indian boundary, let post, from which
a Beech 8 in. dia. beam N79 E 11 lks. dist. of
a Poplar 48 " " " N48 W 7 " "

81.91 to Sec. Corner.

North Between Sec. 10 & 11, T5 N. R4 E.

16.50 a Poplar 30 in. dia.

28.50 a Spring run 8 lks. wide Course N.W.

40.00 Let the q. Sec. post, from which
a Beech 10 in. dia. beam N77 W 8 lks. dist. of
a Do 6 " " " N39 W 26 " "

80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
a Boxelder 12 in. dia. beam N78 E 26 lks. dist. of
a W. Ash 34 " " " N8 E 34 " "
Sand timber &c. Same as on the last mile

East On Rand. between Sec. 2 of 11, T5 N. R4 E.

40.00 Let temp. q. Sec. post

80.26 Intersected the N & S. line at the post
Good farming land, timber Beech, Oak, Poplar &c.

West On true line between Sec. 2 of 11, T5 N. R4 E.

40.13 Let q. Sec. post at average dist. from which
a W. Oak 12 in. dia. beam S29 E 3 lks. dist. of
a Buckeye 12 " " " N3 W 17 " "

80.26 to Sec. Corner. var. 8.45. E

North Between Sec. 2 & 3, T5 N. R4 E.

15.00 Let a post on left bank of River, from which

S. N. R. 4 E. 2^d. Mer. Indiana

a Hackberry 6 in. dia. bray N 8 W 23 lks. dist. of
a Box Elder 12 " " " N 80 W 22 " "
Good farming land, timber Beech, Oak, Poplar &c

May 23^d. 1807. var. 6. 40. E.

North Between Sec. 33 & 34, S. N. R. 4 E.

40.00 Set the gr. Sec. post, from which
a Hickory 6 in. dia. bray S 37 W 25 lks. dist. of
a B. Oak 32 " " " N 64 E 6 " "

79.75 a Small Spring branch Corner S. E.

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
a Sugar 14 in. dia. bray S 2 E 33 lks. dist. of
a Dogw. 6 " " " N 55 E 15 " "
Land part rolling & part hilly, timber Oak
& Hickory poor farming land.

East On Rand. betw. Sec. 27 & 34, S. N. R. 4 E, var. 9. 00. E

40.00 Set temp. gr. Sec. post

79.81 Intersected the N & S. line 14 3 lks. S. of post
This mile 3^d. rate hilly, timber Chest. Oak &c.

West On true line between Sec. 27 & 34, S. N. R. 4 E.

39.90 1/2 Set gr. Sec. post at average dist. from which
a Chest. Oak 12 in. dia. bray N 41 E 6 lks. dist. of
a B. Gum 9 " " " N 13 E 19 " "

79.81 to Sec. Corner.

North Between Sec. 27 & 28, S. N. R. 4 E. var. 6. 10. E

40.00 Set the gr. Sec. post, from which
a Dogwood 6 in. dia. bray S 26 E 23 lks. dist. of
a Ironwood 4 " " " N 2 E 19 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a W. Oak 18 in. dia. bray S 5 E 41 lks. dist. of
a Sugar 16 " " " N 22 W 41 " "
Land timber &c. Same as on the last mile

T5 N. R4 E. 2^d. Mer. Indiana

East On Rand^m. between Sec^s. 22 & 27, var. 9.00' E

40.00 Set temp^y. q^r. Sec. post

79.70 Intersected the N of S. line 6¹/₂ lks. S. of post
Land very hilly & very brushy, timber same
3^d. rate Soil.

West On true line between Sec^s. 22 & 27, T5 N. R4 E.

39.85 Set q^r. Sec. post at average dist. from which
a P. Oak 26 in. dia. tray N 31° 68 lks. dist. of
a Hickory 6 " " " N 31° 46 " "

79.70 to Sec. Corner.

North Between Sec^s. 21 & 22, T5 N. R4 E.

40.00 Set the q^r. Sec. post, from which

a W. Ash 24 in. dia. tray N 66° 41 lks. dist. of

a Beech 30 " " " N 73° E 34 " "

80.00 Set a post Cor. to Sec^s. 15, 16, 21 & 22, from which

a W. Oak 30 in. dia. tray N 6° 41 lks. dist. of

a P. Gum 18 " " " N 10° E 34 " "

This mile rolling land, timber same first
rate farming land, thick Spice wood.

East On Rand^m. between Sec^s. 15 & 22, T5 N. R4 E

40.00 Set temp^y. q^r. Sec. post

44.00 a Spring branch 6 lks. wide course East

73.50 a Brook 10 lks. wide course N. E.

79.53 Intersected the N of S. line 24 lks. S. of post.

Land timber &c. same as on the last mile

West On true line between Sec^s. 15 & 22, T5 N. R4 E.

39.75 Set q^r. Sec. post at average dist. from which

a Beech 12 in. dia. tray N 73° E 23 lks. dist. of

a P. Gum 15 " " " N 8° E 14 " "

79.53 to Sec. Corner. var. 9.30' E

North Between Sec^s. 15 & 16, T5 N. R4 E. var. 6.00' E

T5 N. R4 E. 2^d Mer. Indiana

- 4.78 intersected the Indian boundary, let post from which
 a Beech 11 in. dia. bray S 20 E 27 lks. dist. of
 a Do 11 " " " N 16 W 18 " "
- 40.00 let the gr. Sec. post, from which
 a W. Oak 12 in. dia. bray S 23 E 24 lks. dist. of
 a Do 12 " " " S 2 W 24 " "
- 44.10 at Brook 30 lks. & wide Course N. W.
- 80.00 let a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Hackberry 12 in. dia. bray S 3 E 43 lks. dist. of
 a Hickory 8 " " " S 78 E 7 " "
 Good farming land, timb. Beech, Oak, Poplar &c.

East On Rand^m. between Sec. 10 & 15, T5 N. R4 E.

- 40.00 let temp^y. gr. Sec. post
- 79.95 intersected the N of S. line 100 lks. S. of post
 Sand timber &c. same as on the last mile

West On true line between Sec. 10 & 15, var. 9.30' E.

- 39.97 1/2 let gr. Sec. post at average dist. from which
 an Ironwood 7 in. dia. bray N 35 W 25 lks. dist. of
 an Elm 10 " " " N 26 E 21 " "
- 79.95 to Sec. Corner.

North Between Sec. 9 & 10, T5 N. R4 E.

- 20.12 let a post on left bank of W. River from which
 a Beech 8 in. dia. bray S 56 W 10 lks. dist. of
 a Buckeye 7 " " " S 21 E 15 " "
 Sand timber &c. same as on last mile

May 24th. 1877. var. 6.40' E

North Between Sec. 32 & 33, T5 N. R4 E

- 40.00 let the gr. Sec. post, from which
 a Poplar 17 in. dia. bray N 16 W 36 lks. dist. of
 a P. Oak 18 " " " N 30 E 70 " "
- 80.00 let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a W. Oak 12 in. dia. bray N 12 E 29 lks. dist. of

T5N R4E 2^d Mer. Indiana

a W. Oak 15 in. dia. - bray 54 11/17 lks. dist. of
 This mile a little rolling, timber principally
 Oak, Hickory & Poplar, good wheat land

East On Rand. between Sec. 28 & 33. var. 9.00' E.

40.00 Set temp. of Sec. post

80.62 Intersected the N & S. line 62 lks. N. of post
 Land timber &c. same as on last mile

West On true line between Sec. 28 & 33, T5N R4E.

40.31 Set of Sec. post at average dist. from which
 a P. Oak 20 in. dia. - bray N 69 11/18 lks. dist. of
 a Do 27 " " " N 70 E 53 " "
 80.62 Section Corner.

North Between Sec. 28 & 29, T5N R4E. var. 6.05' E

40.00 Set the of Sec. post, from which
 a P. Oak 24 in. dia. - bray N 34 11/19 lks. dist. of
 a Do 20 " " " N 78 E 16 " "
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Beech 11 in. dia. - bray S 53 E 11 lks. dist. of
 a W. Oak 36 " " " N 65 11/16 " "
 This mile level, timber same, good farming land

East On Rand. between Sec. 21 & 28, T5N R4E

30.00 a Branch 10 lks. wide Course S. W.

40.00 Set temp. of Sec. post

63.00 a final brook Course S. W.

80.73 Intersected the N & S. line 120 lks. N. of post
 Land rolling, timber Beech, Sugar, Poplar
 Ash &c. good farming land.

West On true line between Sec. 21 & 28, T5N R4E.

40.36 Set of Sec. post at average dist. from which
 a P. Oak 18 in. dia. - bray S 34 E 5 lks. dist. of
 a Beech 12 " " " N 29 E 4 " "

T5 N. R4 E. 2nd Mer. Indiana

80.73 to Section Corner.

- North Between Secs. 20 & 21, T5 N. R4 E.
 36.38 Intersected the Indian boundary let post, from which
 a Beech 30 in. dia. bran N 72° W 30 lks. dist. &
 a Do 12 " " " North 47 " "
 This mile level, timber same, good farm. land
 40.00 Let the gr. Sec. post, from which
 a Poplar 4 in. dia. bran N 74 lks. dist. &
 a Beech 6 " " " N 89° W 14 " "
 50.00 to the N. side of wet brushy ground 15 chains
 wide
 80.00 Let a post Cor. to Secs. 16, 17, 20 & 21, from which
 a Sugar 6 in. dia. bran N 45° E 9 lks. dist. &
 a Do 7 " " " S 27° W 34 " "
 Land level, timber Beech, Sugar &c

- East On Rand. between Secs. 16 & 21, T5 N. R4 E.
 40.00 Let temp. gr. Sec. post
 81.48 Intersected the N. & S. line 13 lks. N. of post
 Land timber &c. same as on the last mile

- West On true line between Secs. 16 & 21 var. 9° E
 7.98 intersected the Indian boundary let post, from which
 a R. Gum 18 in. dia. bran N 46° E 14 lks. dist. &
 a Beech 10 " " " S 37° W 17 " "
 Good farming land
 40.74 Let gr. Sec. post at average dist. from which
 a Beech 10 in. dia. bran S 70° E 28 lks. dist. &
 a Do 8 " " " S 37° W 8 " "
 81.48 to Section Corner.

- North Between Secs. 16 & 17, T5 N. R4 E
 15.50 Let a post on left bank of W. River, from which
 a Hackberry 20 in. dia. bran N 66° W 21 lks. dist. &
 a Locust 20 " " " N 20° E 9 " "

S 5 N. R 4 E. T. Mer.

Sand timber &c. Same as on last mile

West Between Sec. 3 & 10, S 5 N. R 4 E.

21.69 Set a post on Left bank of River from which
a Hickory 5 in. dia. bran S 50 E 11 lks. dist. of
an Ash 8 " " " N 14 W 8 " "
Good farming land, timber Beech, Oak & Poplar

West Between Sec. 9 & 16, S 5 N. R 4 E.

20.76 Set a post on left bank of White river from which
a Buckeye 10 in. dia. bran S 49 E 13 lks. dist. of
an Ironwood 5 " " " S 5 W 8 " "
Sand timber &c. Same as on the last mile

May 25th 1807

North Between Sec. 31 & 32, S 5 N. R 4 E.

21.00 a Small brook Course S. W.

40.00 Set the q. Sec. post, from which
a W. Oak 27 in. dia. bran S 8 E 30 lks. dist. of
a Hickory 6 " " " North 20 " "

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
a W. Oak 15 in. dia. bran S 9 W 31 lks. dist. of
an Elm 14 " " " N 12 W 43 " "
Sand & live timber Oak & Hickory good wheat
land sandy soil

East On Ran. 9th between Sec. 29 & 32 var. 9.00 E

40.00 Set temp. q. Sec. post

40.50 a Small brook Course N. W.

79.83 Intersected the N & S. line 3 lks. S. of post
Sand & timber Same good farming land.

West On true line between Sec. 29 & 32, S 5 N. R 4 E.

39.91 1/2 Set q. Sec. post at average dist. from which
a W. Oak 32 in. dia. bran S 40 E 35 lks. dist. of
a W. Oak 24 " " " N 9 E 33 " "

T5 N. R4 E. T^r. Mer. Indiana

79.83 to Section Corner

West Between Secs. 30 & 31, T5 N. R4 E. var. 9.00' E
 40.00 Let the g. Sec. post, from which
 a P. Haw 7 in. dia. bray N 87 E 4 lks. dist. of
 a Beech 20 " " " N 57 W 27 " "
 78.34 Intersected the N. boundary 133 lks. S. of post
 Let a post Cor. to Secs. 30 & 31, from which
 a Beech 10 in. dia. bray N 25 E 23 lks. dist. of
 a Do 7 " " " N 53 W 40 " "
 This mile river bottom & 1st rate farming land, timb.
 Beech, Sugar, Poplar, Ash, Walnut, Hackberry &c.

North Between Secs. 29 & 30, T5 N. R4 E. var. 6.00' E.

40.00 Let the g. Sec. post, from which
 a Beech 30 in. dia. bray N 8 E 32 lks. dist. of
 a Do 18 " " " N 8 W 46 " "
 68.70 intersected the Indian boundary, let post, from which
 a Beech 18 in. dia. bray N 85 E 3 lks. dist. of
 a Do 30 " " " N 17 W 31 " "
 Sand timber &c. same 1st rate farming land
 80.00 Let a post Cor. to Secs. 19, 20, 29 & 30, from which
 an Ironwood 6 in. dia. bray N 83 W 12 lks. dist. of
 a Hackberry 18 " " " N 47 W 28 " "
 Land rich and level.

East On Randon between Secs. 20 & 29, T5 N. R4 E.

40.00 Let temp. g. Sec. post
 80.82 intersected the N. S. at Sec. Corner
 Land timber &c. same as on the last mile

West On truncline between Secs. 20 & 29, T5 N. R4 E.

40.41 Let g. Sec. post at average dist. from which
 a B. Walnut 10 in. dia. bray N 14 E 29 lks. dist. of
 an Elm 5 " " " N 19 E 9 " "
 63.33 intersected the Indian boundary, let post, from which

T5 N. R4 E 2^d. Mer. Indiana

a Beech 12 in. dia. bran N10 W13 lbs. dist. of
 a No 13 " " " N88 E29 " "
 80.82 to Sec. Corner.

North Between Secs. 19 & 20, T5 N. R4 E.

29.00 Set a post on left bank of W. River from which
 an Ironwood 7 in. dia. bran N40 E21 lbs. dist. of
 a Sugar 20 " " " N48 W13 " "
 Sand timber &c. Same as on last mile

West Between Secs. 17 & 20, T5 N. R4 E.

17.40 an Ash 20 in. dia.

29.18 a Beech 20 in. dia. Stand for post on
 the bank of White River

West Between Secs. 19 & 30, T5 N. R4 E.

23.00 Set a post on the left bank of river from which
 a Sugar 12 in. dia. bran N50 E10 lbs. dist. of
 a No 12 " " " N57 E15 " "
 Sand timber &c. Same as on line between 20 & 21

South Between Secs. 18 & 2, T5 N. R4 E.

5.65 an Elm 12 in. dia. Cor. on the River

South Between Secs. 26 & 3, T5 N. R4 E.

7.30 an Elm 12 in. dia.

30.00 touched West bend of the River

40.00 Set the q^r. Sec. post, from which
 a Mulberry 18 in. dia. bran N71 E17 lbs. dist. of
 a B. Walnut 12 " " " N22 W24 " "

45.84 Set a post on right bank of River from which
 a Cottonwood 8 in. dia. bran N18 W12 lbs. dist. of
 Sand rich

South Between Secs. 3 & 4, T5 N. R4 E.

24.00 an Elm 15 in. dia. ~~tree~~ in the line

T5 N. R4 E. 2^d Mer. Indiana

- 40.00 Set the q^r. Sec. post, from which
a Beech 18 in. dia. beam N19°W41 lbs. dist. of
an Iron 6 " " " S66°W20 " "
- 80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
an Ash 10 in. dia. beam N25°W16 lbs. dist. of
a Beech 10 " " " N83°E19 " "
Land rich and level.

East Between Secs. 3 & 10, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post on River bank, from which
a Beech 18 in. dia. beam S60°W11 lbs. dist. of
a Sugar 12 " " " N3°W15 " "
Land timber &c. same as on the last mile

South Between Secs. 9 & 10, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post, from which
a ~~Black~~^{Box} 6 in. dia. beam N10°W21 lbs. dist. of
a Buckeye 8 " " " S10°E21 " "
- 42.26 Set a post on right bank of river, from which
a Hickory 10 in. dia. beam S30°W16 lbs. dist. of
an Ash 8 " " " N76°W6 " "
Land timber &c. same as on the last mile

South Between Secs. 4 & 5, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post, from which
a Maple 8 in. dia. beam N11°W47 lbs. dist. of
a P. Oak 30 " " " N39°W30 " "
- 80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which
a Hickory 12 in. dia. beam N8°W8 lbs. dist. of
a Do 10 " " " S68°E16 " "
(Description Omitted)

East on R. & 2^d between Secs. 4 & 9, T5 N. R4 E.

- 20.00 a water course South
- 40.00 Set temp. q^r. Sec. post
- 80.00 Intersected the N. of line 8 lbs. N. of post

T5 N. R4 E. D. Mer. Indiana

Sand level timber Oak, hickory, ash & hackberry

West On true line between Sec. 4 & 9, T5 N. R4 E.
 40.00 Set of Sec. post at average dist. from which
 a W. Ash 18 in. dia. bears N 81 E 11 lks. dist. &
 a Do 20 " " " N 24 W 18 " "
 80.00 to Sec. Corner

South Between Sec. 8 & 9, T5 N. R4 E.
 13.70 a Cherry 20 in. dia.
 40.00 Set the of Sec. post, from which
 a Beech 20 in. dia. bears N 33 W 10 lks. dist. &
 a Do 15 " " " S 43 E 19 " "
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Hackberry 10 in. dia. bears N 19 E 38 lks. dist. &
 a Red Bud 8 " " " N 12 W 8 " "
 Sand level and rich.

East Between Sec. 9 & 16, T5 N. R4 E.
 40.00 Set the of Sec. post, from which
 an Elm 20 in. dia. bears N 56 W 40 lks. dist. &
 a Lycamore 19 " " " N 77 E 26 " "
 44.00 a Maple 6 " " Corner of Sec. 9 & 16 on River
 Bank - (Description omitted)

South Between Sec. 16 & 17, T5 N. R4 E.
 10.00 to a Pond 3 chains wide
 40.00 Set the of Sec. post (bearings omitted)
 50.50 to the River bank (no bearings taken)
 Sand &c. Same as on last mile.

South Between Sec. 5 & 6, T5 N. R4 E.
 40.00 Set the of Sec. post, from which
 a Beech 12 in. dia. bears N 27 W 5 lks. dist. &
 a Do 10 " " " S 3 E 20 " "
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which

T5 N. R4 E. 2^d. Mer. Indiana

an Ash 6 in dia. bray S30 W 11 lks. dist. of
 an Ironw. 6 " " " S61 W 10 " "
 Sand flat timber Elm, Ash & Maple

East On Range between Sec. 5 & 8, T5 N. R4 E

40.00 Set temp. q. Sec. post

80.00 Set temp. Intersected the N & S line 8 lks. S. of post
 Sand timber &c. Same as on the last mile

West On true line between Sec. 5 & 8, T5 N. R4 E.

40.00 Set the q. Sec. post at average dist. from which
 a Hickory 20 in. dia. bray N72 W 12 lks. dist. of
 an Elm 12 " " " S68 E 19 " "

80.00 to Sec. Corner.

South Between Sec. 7 & 8, T5 N. R4 E.

40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bray S32 E 21 lks. dist. of
 a W. Ash 10 " " " S31 W 26 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bray N85 E 30 lks. dist. of
 a do 10 " " " S5 E 12 " "
 Sand flat (most part covered with water)

East On Range between Sec. 8 & 17, T5 N. R4 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S line 9 lks. N. of post
 Sand level timber Beech, Ash &c.

West On true line between Sec. 8 & 17, T5 N. R4 E

40.00 Set q. Sec. post at average dist. from which
 a Beech 6 in. dia. bray N32 E 7 lks. dist. of
 a do 10 " " " S47 E 12 " "

80.00 to Sec. Corner.

South Between Sec. 17 & 18, T5 N. R4 E.

S. N. R. 4 E. 2. Mer. Indiana

35.40 an Elm 15 in. dia. stands in the line
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears North 9 lks. dist. of
 a Hackberry 19 " " " N 9 E 34 " "
 74.00 Set a post on right bank of River, from which
 a Sugar 12 in. dia. bears N 18 E 18 lks. dist. of
 a Do 9 " " " N 40 W 15 " "
 Land timber &c. Same as on the last mile

East Between Sec. 18 & 19, S. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bears N 79 W 7 lks. dist. of
 a Sugar 8 " " " S 35 E 14 " "
 78.22 Set a post on right bank of R. river, from which
 a Red bud 6 in. dia. bears S 55 W 7 lks. dist. of
 a W. Oak 10 " " " S 56 E 9 " "
 (description of land & timber omitted)

East Between Sec. 19 & 30, S. N. R. 4 E.
 20.04 a Hackberry 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a P. Walnut 10 in. dia. bears S 88 E 11 lks. dist. of
 a Beech 20 " " " S 87 W 41 " "
 51.00 a Maple 10 " " Corner on the right
 bank of White River.
 Land level, timber Beech, Ash & Walnut

West Between Sec. 6 & 7, S. N. R. 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bears N 83 E 21 lks. dist. of
 a Do 12 " " " S 86 W 27 " "
 85.00 Intersected the W. boundary 22 lks. N. of post
 a Beech 10 in. dia. bears N 10 E 11 lks. dist. of
 a Do 5 " " " S 12 W 18 " "
 Land timber &c. Same as on last mile

T5N R4E. 2^d Mer. Indiana

West Between Sec. 7 & 18 T5N. R4E.
 40.00 Let the q. Sec. post, from which
 a Sweet Gum 20 in. dia. bray N67E. 18. dist. &
 a Hickory 24 " " " N15W5 " "
 84.00 Entered the W. boundary 18 lks. N. of post
 Let a post Cor. to Sec. 7 & 18, from which
 a Beech 10 in. dia. bray N69E 6 lks. dist. &
 a maple 15 " " " N69W31 " "
 Sand timber &c. Same as on the last mile

Meanders of the Left Bank of White
 River, up stream from the corner on the
 Range line between Ranges 3 & 4 E. var. E. 30!

S81 E 6.50 in Sec. 30, T5N. R4E.
 N70 E 11.50
 N28 E 12.50
 N34W 24.50
 N8W 13.00
 S87 E 9.00
 S53 E 24.50
 S47 E 12.00
 N85 E 12.00
 N50 E 10.00
 N6 E 11.50
 N29W 10.50
 N55W 5.50 to line between Sec. 19 & 30

N55W 17.50 in Sec. 19, T5N. R4E.
 N71W 17.00
 N34W 13.00
 N21 E 12.00
 S84 E 15.00
 S75 E 5.50
 S81 E 32.50
 S89 E 4.00 to line between Sec. 19 & 20

T5N R4E 2^d Mer. Indiana

S85E	14.50	in Sec. 20, T5N. R4E.
N51E	21.00	
N5E	16.50	
N54W	32.50	
N43E	4.00	
S75E	10.50	
S71E	9.50	
N85E	15.00	
N58E	6.50	
N38E	5.00	to line between Sec. 17 & 20

N30E	12.00	in Sec. 17, T5N. R4E
N41W	38.00	
N72E	8.50	
N43E	27.50	
N60E	14.50	
N80E	8.90	to line between Sec. 16 & 17

N40E	9.00	in Sec. 16, T5N. R4E.
N67E	6.00	
N39E	10.00	
S21E	12.50	
S75E	12.00	
N49E	40.00	
N2W	2.81	to a Brook 30 ft. wide
N2W	4.19	
N40W	21.50	
N55E	7.50	
N33E	7.00	
N12E	4.80	to line between Sec. 9 & 16

North	6.00	in Sec. 9, T5N. R4E.
N16W	17.50	
N27E	8.50	
S56E	7.00	
S39E	3.00	

T5 N. R4 E. 2^d. Mer. Indiana

N58 E 8.00
 N79 E 5.00
 N78 E 2.28 to line between Sec. 9 & 10

N63 E 12.50 in Sec. 10, T5 N. R4 E.
 N47 E 12.50 to a Bayou
 N47 E 7.50
 N29 E 11.50 at 5.00 head of Bayou
 N73 E 10.50
 N30 E 35.30 to line between Sec. 3 & 10

N30 E 9.00 in Sec. 3, T5 N. R4 E.
 N2 E 16.00
 N22 W 26.50
 N81 E 9.00
 S29 E 12.50
 S5 E 13.50
 S28 E 8.00
 S60 E 5.00
 S88 E 2.35 to line between Sec. 2 & 3

N74 E 9.00 in Sec. 2, T5 N. R4 E.
 N20 E 6.50
 N2 W 3.00
 N22 W 14.50
 N45 E 11.50
 N24 E 4.00
 N12 E 11.50
 N1 E 3.64 to post in N. boundary of T5 N. R4 E.

S50 W 5.50 from post in N. boundary E. side of bend (Sec. 2)
 S7 E 7.35
 S35 E 8.00
 S87 E 8.00
 N69 E 30.50
 S46 E 7.00

T5 N. R4 E. 2^d Mer. Indiana

S37 E	3.00	to line between Sec. 1 & 2
-------	------	----------------------------

S37 E	8.00	
-------	------	--

S3 E	8.25	
------	------	--

S31 E	8.50	
-------	------	--

S51 E	8.50	
-------	------	--

N85 E	10.50	
-------	-------	--

N50 E	8.00	
-------	------	--

N30 E	9.50	
-------	------	--

N37 E	3.11	
-------	------	--

North	4.50	to a Bayou 250 yds. wide
-------	------	--------------------------

North	6.41	
-------	------	--

N20 N	13.50	to post in the N. boundary of T5 N. R4 E.
-------	-------	---

Meanders of the E. Fork of White River commencing at a post in the N. boundary of Town 5 N. Range 4 East thence up stream on the Right or N.W. bank

S72 E	6.00	in Sec. 30, T5 N. R4 E.
-------	------	-------------------------

N72 E	8.00	
-------	------	--

N22 E	6.50	
-------	------	--

N13 N	3.00	
-------	------	--

N45 N	6.00	
-------	------	--

N58 N	11.00	
-------	-------	--

N23 N	5.50	to Corner on Range line
-------	------	-------------------------

N24 N	3.50	in Sec. 25, T5 N. R3 E.
-------	------	-------------------------

N4 N	6.00	
------	------	--

N26 E	3.78	Corner on Range line N. side of land
-------	------	--------------------------------------

N26 E	3.00	in Sec. 30, T5 N. R4 E (again)
-------	------	--------------------------------

N53 E	3.19	
-------	------	--

N60 E	6.50	
-------	------	--

East	8.00	
------	------	--

N64 E	10.50	
-------	-------	--

S46 E	4.78	
-------	------	--

in R3 E.

T5 N. R4 E. 2^d. Mer. Indiana

N56 E	5.00	
N46 E	19.00	
N83 E	10.00	
N26 E	8.00	
N8 W	2.93	
N15 W	5.00	
N34 W	6.50	
N61 W	4.50	to line between Sec. 19 & 30

N64 W	32.00	in Sec. 19, T5 N. R4 E. 2 ^d . Mer.
N32 W	17.00	
N18 E	10.50	
N51 E	10.50	
East	21.50	
N79 E	41.50	
N75 E	6.50	
N53 E	12.50	
N9 E	11.50	
N77 W	9.00	
N87 W	7.50	
N59 W	11.00	
N13 W	11.00	
N21 E	4.00	to line between Sec. 18 & 19

N35 E	4.50	in Sec. 18, T5 N. R4 E.
N60 E	2.14	to line between Sec. 17 & 18

N60 E	3.00	in Sec. 17, T5 N. R4 E.
N86 E	7.00	
N85 E	30.00	
N28 E	12.50	
N51 W	10.00	
N70 W	6.00	
N43 W	11.50	
N4 E	10.00	
N39 E	9.00	

T5 N. R24 E. 2nd Mer. Indiana

N81 E	9.50	
N64 E	6.00	
N48 E	10.00	
N37 E	15.00	
N32 E	13.50	
N66 E	5.00	to line between Sec. 16 & 17

N20 E	3.00	in Sec. 16, T5 N. R24 E. a brook 100 ft.
N36 E	6.00	
N53 E	13.50	
East	7.00	
N45 E	13.50	
N80 E	3.50	
N42 E	12.00	
N65 E	14.50	
N9 N	6.50	
N61 N	11.50	
N15 N	9.00	
N18 E	4.50	
N52 E	13.00	to line between Sec. 9 & 16

N40 E	7.00	in Sec. 9, T5 N. R24 E
N10 N	7.00	
N33 N	10.00	
N11 N	12.00	
N43 E	9.00	
N82 E	9.50	
N56 E	20.00	
N41 E	12.00	line between Sec. 9 & 10

N37 E	4.00	in Sec. 10, T5 N. R24 E
N58 E	12.00	
N36 E	9.00	
N52 E	22.00	
N20 E	12.00	to line between Sec. 3 & 10

T5N R4E. 2nd Mer. Indiana

N46E	14.00	mi Sec 3, T5N. R4E
N21E	14.00	
North	4.00	
N16W	8.00	
N35W	11.00	
N7W	12.00	
N50E	5.00	a Brook 100 yds. wide
N50E	6.00	
N79E	10.00	
N41E	10.50	
N11E	26.50	
N75E	6.00	line between Sec. 2 & 3.
N37E	6.00	mi Sec 2, T5N. R4E.
N15W	15.00	
N12E	24.00	
N46E	5.00	to post in N. boundary Town 5N. R4E
N27W	4.00	mi Sec 2 again
N50E	8.00	
N54E	13.50	to post in N. boundary
N64E	8.50	mi Sec 2 again
N37E	3.50	line between Sec. 1 & 2
N37E	11.50	mi Sec. 1, T5N. R4E.
N13E	9.00	
N58E	16.00	
N60E	12.00	
N38E	5.50	
N13W	21.00	to post in the N. boundary Town 5N. Range 4 East Surveyed by Mr. Harris & Arthur Harris Dep. Sur?

Comp^d

I Certify, that the foregoing transcript of field notes of Township N. 5 N. Range N. 4 E. 2. Mer. Indiana has been Comp.^d with the original notes in this Office and found to be Correct.

Surveyor General's Office
Cincinnati, June 28. 1841

P. P. Haines
Sur. Genl.